**Web**   Images   Groups   News   Froogle   Local<sup>New!</sup>   **more »**

Google™ | REPLICATION OF BINARY LARGE OBJECT |   Search   Advanced Search
Preferences

**Web** Results **1 - 10** of about **374,000** for <u>REPLICATION</u> OF <u>BINARY LARGE OBJECT DATA</u> . **(0.25** seconds)

## Outbound public folder **replication** cannot work from a particular ...
Exchange 2000 first determines this **data** to be a directory service GUID ...
Exchange 2000 verifies whether the **binary large object** has a single zero byte. ...
support.microsoft.com/?kbid=886654 - Similar pages

### SQL Server 2000 Windows CE Edition 1.0 and 1.1 frequently asked ...
**Replication** only works with Microsoft SQL Server 2000. ... Microsoft ActiveX **Data**
**Objects** for Windows CE (ADOCE) also supports **binary large objects**. ...
support.microsoft.com/?scid=http://support. microsoft.com%2Fsupport%2Fsql%2Fcontent%
2Fsqlce%2Fsqlcefaq.asp - Similar pages

## Considerations for **large object (LOB) data** types for Q **replication** ...
Considerations for **large object** (LOB) **data** types for Q **replication** and event ...
**Binary** LOB (BLOB); Character LOB (CLOB); Double-byte character LOB (DBCLOB) ...
publib.boulder.ibm.com/infocenter/ db2luw/v8/topic/com.ibm.db2.ii.doc/admin/cqrdt002.htm - 5k -
Cached - Similar pages

### Glossary
... SQL **replication**, a type of **replication** target table that contains **data** that
... BLOB: See **binary large object** (BLOB). block fetch: A capability in which ...
publib.boulder.ibm.com/infocenter/ dzichelp/v2r2/topic/com.ibm.dzic.doc.gloss/icglosb.htm - 17k -
Cached - Similar pages
[ More results from publib.boulder.ibm.com ]

## MySQL General Information
SQL'92 **data** types syntax are mapped directly into native PostgreSQL types.
**Binary** and Character **Large Objects**. MySQL: **Binary**: TINYBLOB, BLOB, MEDIUMBLOB, ...
www-css.fnal.gov/dsg/external/ freeware/mysql-vs-pgsql.html - 26k - Jan 10, 2006 - Cached - Similar pages

## BLOB - a Whatis.com definition - see also: **binary large object**
1) In computers, a BLOB (**binary large object**), pronounced BLAHB and sometimes
... Other sources emphasize that the term was coined to refer to big **data** ...
searchoracle.techtarget.com/ sDefinition/0,,sid41_gci213817,00.html - 42k - Cached - Similar pages

## DBMS Server Comparison Supplement - November1996 - IBM DB2
A **binary large object** (BLOB) can have a size of up to 2GB. ... IBM's **data**
**replication** solution lets you propagate or synchronize **data** among distributed ...
www.dbmsmag.com/9611d57.html - 17k - Cached - Similar pages

### DBMS - September 1996 - **Objects** Meet **Data**
**Objects**, on the other hand, let you model complex **data** structures and **large**
amounts of **binary** information in a more natural way than with traditional ...
www.dbmsmag.com/9609d16.html - 27k - Cached - Similar pages
[ More results from www.dbmsmag.com ]

## PHPBuddy.com - Storing **Binary Data** in MySQL Databases
"A BLOB is a **binary large object** that can hold a variable amount of **data**."

This essentially means that BLOB is a datatype that can hold **binary** content, ...
www.phpbuddy.com/article.php?id=6 - 17k - Cached - Similar pages

## WCI **Object** DB Capabilities

complex **data** types, - supports **binary large objects** (BLOBs) which are essentially
... database features like **data replication** and distributed databases. ...
www.woodger.ca/archodb.htm - 13k - Cached - Similar pages

Try your search again on Google Book Search

# Goooooooooogle ▶

Result Page:　　**1** 2 3 4 5 6 7 8 9 10　　**Next**

Google Desktop Search 　9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

REPLICATION OF BINARY LARGE 　Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google™

**Web   Images   Groups   News   Froogle   Local**Newl   **more »**

2000 REPLICATION OF BINARY LARGE OBJ   [Search]   Advanced Search
Preferences

**Web** Results 31 - 40 of about **258,000** for **2000 REPLICATION OF BINARY LARGE OBJECT DATA** . (0.08 se

## System Requirements for NDS eDirectory
If an **object** will hold BLOB (**Binary Large Object**) **data**, (such as picture, ...
The third network card would then handle only the NDS **replication** traffic by ...
support.novell.com/techcenter/articles/ana20000703.html - 34k - Cached - Similar pages

## Sloan Digital Sky Survey Review of **Data** Processing Operations ...
In addition to providing persistence and **data** integrity for an **object data** model,
Objectivity also provides **binary** compatibility across the major hardware ...
tdserver1.fnal.gov/project/sdss/ dp-review-700/dp-review-docs/sxoverview.htm - 20k - Cached - Similar pages

## NOVELL: NDS eDirectory Design **2000**
If **objects** will hold BLOB--**binary large object**--**data** such as pictures, sounds,
... This will help to ensure that **replication** traffic is controlled and ...
www.directory-info.com/eDirectory/nds-design-**2000**.html - 70k - Cached - Similar pages

## [PDF] REPORTS AND COMMUNICATIONS
File Format: PDF/Adobe Acrobat - View as HTML
pose Internet Mail Extensions)--typed BLOBs (**Binary Large Objects**), ... **data** associated
with each **object**. Index servers act with a **large** amount of ...
gking.harvard.edu/files/vdcwhitepaper.pdf - Similar pages

## New Version of ANTs **Data** Server Offers Rapid DBMS Application ...
... with **binary large objects** (BLOBs) and character **large objects** (CLOBs), ...
Because of its patented architecture, **replication** and on-line backup have a ...
www.windowsfs.com/news_summary.asp?article=2041 - 38k - Cached - Similar pages

## Lotus Notes - Wikipedia, the free encyclopedia
A particular strength of Notes and Domino is its **replication** facilities. ...
to a BLOB (a **binary large object**). The benefits of this **data** structure are: 1. ...
en.wikipedia.org/wiki/Lotus_Notes - 32k - Cached - Similar pages

## [PDF] Benchmarking **Data Replication** Performance for The Defense ...
File Format: PDF/Adobe Acrobat - View as HTML
a **Binary Large Object** (BLOB). To save storage space at ... If the **replication**
latency is too **large**,. updates to replicated **data** will not be propagated to ...
www.cs.uno.edu/~golden/Stuff/dimhrs-venkata.pdf - Similar pages

## [PDF] Event Storage Towards a Strategy on **Data** Persistency, **Data** Archive ...
File Format: PDF/Adobe Acrobat - View as HTML
Currently the **data** are stored as **Binary Large Objects** (BLOB). ... Program of Work
meeting June 28/29 **2000**. 11. 3.4 **Data Replication** ...
lhcb-comp.web.cern.ch/lhcb-comp/ Frameworks/DataManagement/Documents/mso344.pdf - Similar pages

## Citations: Analysis of Low Density Codes and Improved Designs ...
**Replication** is not effective for **large objects** because it will lead to low space
... **binary** symmetric, Laplace, and September 19, **2000** TO APPEAR IN IEEE ...
citeseer.ist.psu.edu/context/220128/2125 - 20k - Cached - Similar pages

## dBforums - **Binary Large Object** Fields
The various BLOB formats (graphic, **binary**, and so-on) really don't say **...**
BLOB fields really aren't a very good choice for storing **large** blocks of **data**. **...**
www.dbforums.com/t1071012.html - 77k - <u>Cached</u> - <u>Similar pages</u>

◀ Goooooooooooooogle ▶

Result Page: **Previous** 1  2  3  **4**  5  6  7  8  9  10 11 12 13        **Next**

[ 2000 REPLICATION OF BINARY L/ ]  [ Search ]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Google

**Web   Images   Groups   News   Froogle   Local**[New!]   **more »**

[2000 REPLICATION OF BINARY LARGE OB]   [Search]   Advanced Search
                                                    Preferences

**Web** Results **41 - 50** of about **258,000** for **2000 REPLICATION OF BINARY LARGE OBJECT DATA** . (0.07 se

[PPT] Pgross Keynote Seybold Summit 4 Mobility
File Format: Microsoft Powerpoint 97 - View as HTML
SQL Server **2000** Windows CE Edition. Active X **Objects**. eVB 3.0. eVC 3.0. OLEDB.
OLEDB. Server Agent: **Replication**. and. Remote **Data** Access ...
https://msdb.ru/Downloads/Docs/ Events/Materials/060602/Windows_CE_Data_Access.ppt - Similar pages

[PDF] **Data** Management for Grid Environments
File Format: PDF/Adobe Acrobat - View as HTML
a **Binary Large OBject** (BLOB) in a **object**-relational. database, or as a file in
an archive, ... As regards **replication**, **large** amounts of **data** ...
www.ece.rutgers.edu/~parashar/Classes/ 02-03/ece572/grid-readings/HPCN-2001.pdf - Similar pages

[DOC] SrbRack
File Format: Microsoft Word 2000 - View as HTML
Archival **objects** are organized into collections that provide the context for ...
UniTree, DMF, ADSM), as **binary large objects** in databases (Oracle, DB2, ...
www.sdsc.edu/dice/Pubs/persistent-**objects**.doc - Similar pages

Oracle9i Lite Datasheet
Using Oracle9i Lite, E-Businesses make business **data** accessible where it is most
... Built-in referential integrity; **Binary Large Object** (BLOB) support ...
otn.oracle.com/products/ lite/htdocs/o9ilite_**data**sheet.htm - 64k - Cached - Similar pages

20. ICDCS **2000**: Taipei, Taiwan
Session A4: **Large** Scale Network and its Application ... International Workshop
of Knowledge Discovery and **Data** Mining in the World-Wide Web ...
www.informatik.uni-trier.de/ ~ley/db/conf/icdcsw/icdcsw**2000**.html - 31k - Cached - Similar pages

Enterprise Java Community: In Memory Session **Replication** In Tomcat 4
These are the **data objects** that you as a servlet/JSP developer store when you
call HttpSession.setAttribute(name,value). In order for the **replication** to ...
www.theserverside.com/resources/article.jsp?l=Tomcat - 48k - Jan 10, 2006 - Cached - Similar pages

[PDF] Proceedings Template - WORD
File Format: PDF/Adobe Acrobat - View as HTML
Open-source, digital library, quantitative **data**, **replication** ... supplementary
documentation), MIME-typed BLOBs (**Binary Large Objects**), and/or structured ...
thedata.org/papers/vdcwhitepaper.pdf - Similar pages

Database Migration Software. SQLWays. Ispirer Systems
Transfers **data** including LOB (images, **binary data**, formatted text) and Spatial
... **large** critical databases with zero downtime (migration and **replication**) ...
www.ispirer.com/products/ - 28k - Jan 11, 2006 - Cached - Similar pages

Release Notes Storage Resource Broker
**Large Objects**. Oracle 8i; Oracle 9i; DB2 v7; DB2 v8; Sybase 12.5; Postgres 7;
MS SQL Server **2000**. Database Tables. Oracle 8i; Oracle 9i; DB2 v7; DB2 v8 ...

https://www.nirvanaware.com/browser/ Nirvana/Software/2.0.16/SRBReleaseNotes.htm - 10k -
Cached - Similar pages

## Citations: Partitioned garbage collection of a **large object** store ...
Partitioned garbage collection of **large object** store. In J. PECKHAM Ed., SIGMOD
1997, Proceedings ACM SIGMOD International Conference on Management of **Data**, ...
citeseer.ist.psu.edu/context/163325/377351 - 21k - Cached - Similar pages

## ◀ Goooooooooooooogle ▶

Result Page: **Previous** 1  2  3  4  **5**  6  7  8  9  1011121314          **Next**

[2000 REPLICATION OF BINARY L/]  [Search]

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

# WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Thursday, January 12, 2006

| Hide? | Set Name | Query | Hit Count |
|---|---|---|---|
| | | *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ* | |
| ☐ | L77 | L76 and first and second and code$1 | 22 |
| ☐ | L76 | (binary large object) and source and target and field$1 and languages and (convert$3 or transfer$3) and (replicat$3 or mirror$3) and relational and database$1 and @py<2003 | 29 |
| | | *DB=PGPB; PLUR=YES; OP=ADJ* | |
| ☐ | L75 | US-20050034099-A1.did. | 1 |
| ☐ | L74 | US-20050034099-A1.did. | 1 |
| | | *DB=EPAB; PLUR=YES; OP=ADJ* | |
| ☐ | L73 | WO-2003036470-A2.did. | 0 |
| | | *DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ* | |
| ☐ | L72 | (blob and data and type$1).ti,ab. and @py<=2003 | 12 |
| ☐ | L71 | 'blob data'.ti. | 3 |
| ☐ | L70 | L68 and (id$ near5 character$1) | 0 |
| ☐ | L69 | L68 and (coded near5 character$1) | 0 |
| ☐ | L68 | L67 and (source same target) | 58 |
| ☐ | L67 | L66 and (data near5 field$1) | 184 |
| ☐ | L66 | (data near5 structure) and (blob near5 data) and @py<=2003 | 331 |
| ☐ | L65 | L64 and field$1 | 28 |
| ☐ | L64 | L63 and (replicat$3 near5 data) | 28 |
| ☐ | L63 | (data near5 type$1) and (source near5 field$1) and (blob near5 data) and @py<=2003 | 49 |
| ☐ | L62 | L61 and (target near5 blob) | 9 |
| ☐ | L61 | source near5 blob | 58 |
| ☐ | L60 | (character near5 id$) same (blob near5 data) and @py<=2003 | 0 |
| ☐ | L59 | L58 and (blob near5 attribute$1) | 3 |
| ☐ | L58 | xml and blob and scheme and @py<=2003 | 108 |
| ☐ | L57 | (blob near5 schema) and (blob near5 character$1) and (blob near5 data) | 0 |
| ☐ | L56 | (blob near5 schema) and (blob near5 character$1) and (blob near5 data) and @py<=2003 | 0 |
| ☐ | L55 | L54 and replicat$3 | 1 |
| ☐ | L54 | (source near5 blob) and (target near5 blob) and @py<=2003 | 6 |

| | | | |
|---|---|---|---:|
| ☐ | L53 | (source near5 database$1) same (blob near5 data) and @py<=2003 | 2 |
| ☐ | L52 | L51 and encod$3 | 7 |
| ☐ | L51 | L50 and (first near5 character$1) and (second near5 character$1) | 9 |
| ☐ | L50 | (image near5 data) and (blob near5 data) | 424 |
| ☐ | L49 | L48 and target | 2 |
| ☐ | L48 | L47 and source | 8 |
| ☐ | L47 | (blob near5 attribut$1) and @py<=2002 | 17 |
| ☐ | L46 | (source near5 database$1) and (target near5 database$1) and (blob near5 attribut$1) and @py<=2002 | 0 |
| ☐ | L45 | L44 and (source same target) | 28 |
| ☐ | L44 | L43 and schema | 43 |
| ☐ | L43 | (blob near5 data) and (character near5 set$1) and (replicat$3 or mirror$3) and @py<=2003 | 48 |
| ☐ | L42 | (blob and database$1).ti. and @py<=2003 | 1 |
| ☐ | L41 | L40 and (blob near5 data) | 4 |
| ☐ | L40 | L39 and field$1 | 13 |
| ☐ | L39 | L38 and target | 13 |
| ☐ | L38 | L37 and source | 21 |
| ☐ | L37 | L36 and blob | 26 |
| ☐ | L36 | 'utf-8' | 1014 |
| ☐ | L35 | l29 and 'utf-8' | 0 |
| ☐ | L34 | utf and blob and ccsid and clob and @py<=2002 | 0 |
| ☐ | L33 | L32 and @py<=2002 | 8 |
| ☐ | L32 | L31 and blob | 13 |
| ☐ | L31 | 'double byte character set' | 134 |
| ☐ | L30 | L29 and 'double byte character set' | 0 |
| ☐ | L29 | L28 and (character near5 set$1) | 28 |
| ☐ | L28 | L26 and (double near5 byte) | 28 |
| ☐ | L27 | L26 and (multiple near5 languages) | 0 |
| ☐ | L26 | L25 and (data near5 field$1) | 28 |
| ☐ | L25 | L24 and (format$3 near5 data) | 28 |
| ☐ | L24 | L23 and (replicat$3 near5 source) | 28 |
| ☐ | L23 | L22 and (relational near5 database$1) | 28 |
| ☐ | L22 | L21 and (translate near5 data) | 28 |
| ☐ | L21 | L19 and (blob same attribute$1) | 28 |
| ☐ | L20 | L19 and (blob near5 attribute$1) | 0 |
| ☐ | L19 | L18 and (character near5 set$1) | 28 |
| ☐ | L18 | L17 and (field$1 same type$1) | 28 |

| | | | |
|---|---|---|---:|
| ☐ | L17 | L16 and character$1 | 28 |
| ☐ | L16 | L15 and 'blob' | 28 |
| ☐ | L15 | L14 and binary | 28 |
| ☐ | L14 | L13 and table$1 | 28 |
| ☐ | L13 | L11 and language$1 | 28 |
| ☐ | L12 | L11 and (multiple near5 language$1) | 0 |
| ☐ | L11 | L10 and (data near5 structure) | 28 |
| ☐ | L10 | L9 and attribut$1 | 28 |
| ☐ | L9 | L8 and scheme$1 | 28 |
| ☐ | L8 | L7 and replicat$3 | 28 |
| ☐ | L7 | L6 and (cod$2 near5 id$) | 32 |
| ☐ | L6 | L5 and (source same target) | 59 |
| ☐ | L5 | 'binary large objects' and (convert$3 or translat$3) and @py<=2003 | 250 |
| ☐ | L4 | 'binary large objects' and (convert$3 or translat$3) and @py<=2004 | 336 |
| ☐ | L3 | 'binary large objects' and (convert$3 or translat$3) | 447 |
| ☐ | L2 | L1 and blob | 2 |
| ☐ | L1 | coded character set identifier | 33 |

END OF SEARCH HISTORY